



Quark GWG PDF Styles: NewspaperAds_1v4 (Direct to PDF Workflow)

Contents

Legal notices.....	3
Introduction.....	4
Changing the PDF workflow.....	5
Installing PDF styles.....	6
Creating a PDF file.....	7
Understanding the PDF style settings.....	8
Verification drop-down menu.....	8
Pages settings.....	8
Meta Data settings.....	9
Hyperlinks settings.....	10
Compression settings.....	10
Color settings.....	11
Font settings.....	12
Marks settings.....	12
Bleed settings.....	13
Layers settings.....	14
Transparency settings.....	14
OPI settings.....	15
JDF settings.....	16

Legal notices

©2009 Quark, Inc. All rights reserved. Unauthorized use and/or reproduction are violations of applicable laws. Quark, the Quark logo, QuarkXPress, XTensions and Job Jackets are trademarks or registered trademarks of Quark, Inc. and its affiliates in the U.S. and/or other countries. Adobe, Acrobat, Distiller and Photoshop are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. All other marks are the property of their respective owners.

Introduction

This document can help you maximize quality and improve efficiency in a PDF workflow with QuarkXPress® 7.2 or later, including QuarkXPress 8.x. It shows you how to add a PDF style that will help you create a PDF that conforms to the Ghent PDF Workgroup (GWG) 2008 specification.

The GWG is an international organization of graphic arts users, associations, and developers who are establishing best practices for publishing workflows. Recommendations from the GWG make it easier for professionals to create, process, and exchange graphic arts files.


➔ Each PDF style is designed for different output requirements.

Changing the PDF workflow

Before using one of the PDF styles from the downloaded package, you must change the PDF workflow in QuarkXPress so that you are directly exporting PDF files rather than creating PostScript files for later distillation.

To change your settings to create a PDF file, follow these steps:

- 1 Choose **QuarkXPress/Edit > Preferences**. The **Preferences** dialog box displays.
- 2 Select **PDF** in the list on the left.
- 3 In the **PDF Workflow** area, click **Direct to PDF**.



Preferences dialog box

- 4 Click **OK**.

Installing PDF styles


To install a PDF style, follow these steps:

- 1 Choose **Edit > Output Styles**.
- 2 Click **Import**. The **Import Print Styles** dialog box displays.
- 3 Navigate to the file named "NewspaperAds_1v4," then click **Open**.
- 4 Click **Save**.

Creating a PDF file

To create a PDF file with a PDF style, follow these steps:

- 1 With a project open, choose **File > Export > Layout as PDF**. The **Export as PDF** dialog box displays.
 - 2 From the **PDF Style** drop-down menu, choose "NewspaperAds_1v4."
 - 3 Navigate to where you want to save the file, then click **Save**.
- ➔ The **Options** button provides access to settings that modify your PDF style. For more information, see "[Understanding the PDF style settings.](#)"



Export as PDF dialog box

Understanding the PDF style settings


To view the settings for a PDF style, choose **File > Export > Layout as PDF**, select the PDF style, and then click **Options**. The **PDF Export Options** for your layout displays. The following topics describe the settings for this PDF style.

Verification drop-down menu

QuarkXPress includes a PDF verification feature that ensures that an exported PDF complies with the PDF/X-1a or PDF/X-3 specifications. This output style is set up to carry out PDF/X-1a verification at output.

Pages settings


This PDF style does not require spreads, exported pages as PDFs, blank pages, or embedded thumbnails.



Page options in the **PDF Export Options** dialog box

Meta Data settings

The PDF style includes default metadata, but you can change this metadata as required.




Metadata options in the **PDF Export Options** dialog box

UNDERSTANDING THE PDF STYLE SETTINGS

Hyperlinks settings


Hyperlinks are not necessary in this PDF style.



Options for Hyperlinks in the **PDF Export Options** dialog box

Compression settings

This output style includes compression settings that comply with the relevant GWG specification.




Compression options in the **PDF Export Options** dialog box

Color settings

The color output setup is set to **Composite CMYK and Spot** by default. This PDF style references a generic ICC color profile that is created when you install QuarkXPress.

For the best possible results, however, you must customize these output settings to use an ICC profile that is specific to your particular output device or workflow. The recommended profile for this setting is **ISOnewspaper26v4**.




Color options and **Edit Output** dialog boxes

UNDERSTANDING THE PDF STYLE SETTINGS

Font settings


All fonts are used in this PDF style.



Options for downloading fonts

Marks settings


The marks are set to off.



Settings for registration marks

Bleed settings

The bleed settings for this PDF style match the bleed settings specified by the GWG.




Bleed options in the **PDF Export Options** dialog box

UNDERSTANDING THE PDF STYLE SETTINGS

Layers settings


To include specific layers in the PDF, select the layers in this pane.



Options for layers in the **PDF Export Options** dialog box

Transparency settings


PostScript does not support semi-opaque objects, so QuarkXPress flattens layouts that use transparency before creating a PostScript file. Transparency settings let you control the resolution at which different types of objects involved in transparency relationships within the layout are rasterized. The suggested setting for vector objects is half of the device resolution, which in this case is 600 dpi. The suggested setting for blends is a resolution comparable to those for continuous-tone images, which in this case is 200 dpi. The suggested setting for drop shadows is the minimum resolution allowed by the specification, which in this case is 100 dpi. These settings produce sufficient desirable output without impacting performance or file size. However, the suggested settings are merely guidelines and might require adjustment to accommodate specific workflows, especially for vector images.



Transparency options in the **PDF Export Options** dialog box

OPI settings

This PDF style does not use OPI.




OPI options in the **PDF Export Options** dialog box

UNDERSTANDING THE PDF STYLE SETTINGS

JDF settings

The Output JDF feature works in conjunction with the Job Jackets® feature of QuarkXPress. This PDF style does not use the Output JDF feature.



JDF options in the **PDF Export Options** dialog box